

RECEIVED MAY 16 2024



## PRICE AND SPECIFICATIONS HARDWOOD LOGS

251, Route 180  
Saint-Quentin, N.-B.  
E8A 2K9

CONTACT: Yves O'Brien, VP Procurement  
Cell: (506) 235-0506  
[yves.obrien@groupesavoie.com](mailto:yves.obrien@groupesavoie.com)

May 20 / 2024  
avr.-24

Scale house: 506-235-1066

Scale hours: Mon-Thur 6:00 am to 5:00 pm  
Friday 6:00 am to 3:00 pm

### NET \$ ROAD SIDE, TRUCKING PAID BY GROUPE SAVOIE

#### LOGS :

(class A)

small end diameter	length	# clear faces	(rock maple) SUGAR MAPLE		YELLOW and WHITE BIRCH		RED MAPLE (Soft) BEECH					
			sound and straight less than 50% heart		sound and straight		sound and straight					
			\$/m3	\$/Mfbm	\$/m3	\$/Mfbm	\$/m3	Prime Red Maple <50% hart (Class D)				
36 cm + (14 in +)	7'6"-8'9"	4	196	190.46	1017	175	170.23	911	78	75.88	84	81.71
		2 - 3	128	124.51	667	115	111.87	598	72	70.04	78	75.85
		0 - 1	72	70.04	375	65	63.23	337				
24 to 34 cm (9 to 13 in)	7'6"-8'9"	4	128	124.51	667	115	111.87	598	72	70.04	78	75.85
		2 - 3	89	86.58	464	80	77.82	416	66	64.20	72	70.04
		0 - 1	66	64.20	346	60	58.37	310				
20 à 22cm (8 in)	8'9" Straight	4	72	70.04	375	65	63.23	337	* Soft Maple 10 in. (25cm) and up			NA

Heated and/or stained logs will be paid at 40\$/m³ or 50\$/m³ (depend of size) roadside (Class C logs)

Logs not responding to specs will be paid at 45 \$ / m3 roadside (class B logs)

Pieces declassified to pallet will be paid at 40\$ / m3 roadside

#### Specifications:

**Length:** 8'9" (>11 inch can produce 7'0" long for recovery logs)

**Clear face:** Perfect face (no knot)

**Forks:** not accepted

**Straight crack:** accepted but loss in clear faces

**Delimiting:** knots flush with log

**Class B log:** do not respect class A logs specs

<b>VENEER:</b> (11 inch +) at small end
<b>Birch:</b> 8'9", 9'6", 10'6" and 11'6"
<b>Maple:</b> 9'6", 10'6" and 11'6"
Possible pieces will be put aside to be measured by an independant certified veneer scaler

Scaling: Done by Groupe Savoie inc, by a certified scaler according to NB scaling guide  
All pieces mesured one by one in solid m3 (1 cord = 2.26m³)  
Prices in Mbf are approximate (factor 5.2)



SUSTAINABLE FORESTRY INITIATIVE  
"Bon pour vous. Bon pour nos forêts."  
"Good for you. Good for our forests."  
SFI-00058

Our purchases need to comply with best management practices.  
We promote Sustainable Forestry Practices and Qualify Logging Professional (QLP training)  
We aren't buying illegal or controversial wood.

RECEIVED MAY 16 2024



## PRICE AND SPECIFICATIONS HARDWOOD LOGS

251, Route 180  
Saint-Quentin, N.-B.  
E8A 2K9

CONTACT: Yves O'Brien, VP Procurement  
Cell: (506) 235-0506  
[yves.obrien@groupesavoie.com](mailto:yves.obrien@groupesavoie.com)

May 20/2024  
avr-24

Scale house: 506-235-1066

Scale hours: Mon-Thur. 6:00 am to 5:00 pm  
Friday 6:00 am to 3:00 pm

**NET \$ ROAD SIDE, TRUCKING PAID BY GROUPE SAVOIE \*\*\* 200KM + \*\*\***

LOGS :  
(class A)

small end diameter	length	# clear faces	(rock maple) SUGAR MAPLE		YELLOW and WHITE BIRCH		RED MAPLE (Soft) BEECH	
			sound and straight less than 50% heart	Prime Red Maple <50% hart (Class D)	sound and straight	sound and straight	sound and straight	
			\$/m3	\$/Mfbm	\$/m3	\$/Mfbm	\$/m3	
36 cm + (14 in +)	7'6"-8'9"	4	180 <i>175.10</i>	936	161 <i>156.61</i>	838	72 <i>70.04</i>	77 <i>74.90</i>
		2 - 3	118 <i>114.79</i>	613	106 <i>103.11</i>	550	66 <i>64.20</i>	72 <i>70.04</i>
		0 - 1	66 <i>64.20</i>	345	60 <i>58.37</i>	310		
24 to 34 cm (9 to 13 in)	7'6"-8'9"	4	118 <i>114.79</i>	613	106 <i>103.11</i>	550	66 <i>64.20</i>	72 <i>70.04</i>
		2 - 3	82 <i>79.77</i>	427	74 <i>71.98</i>	383	61 <i>59.54</i>	66 <i>64.20</i>
		0 - 1	61 <i>59.34</i>	318	55 <i>53.50</i>	285		
20 à 22cm (8 in)	8'9" Straight	4	66 <i>64.20</i>	345	60 <i>58.37</i>	310	* Soft Maple 10 in. (25cm) and up NA	

Heated and/or stained logs will be paid at 40\$/m<sup>3</sup> or 50\$/m<sup>3</sup> (depend of size) roadside (Class C logs)

Logs not responding to specs will be paid at 45 \$ / m3 roadside (class B logs)

Pieces declassified to pallet will be paid at 40\$ / m3 roadside

### Specifications:

**Length:** 8'9" (>11 inch can produce 7'0" long for recovery logs)

**Clear race:** Perfect face (no knot)

**Forks:** not accepted

**Straight crack:** accepted but loss in clear faces

**Delimiting:** knots flush with log

**Class B log:** do not respect class A logs specs

**VENEER:** (11 inch +) at small end

**Birch:** 8'9", 9'6", 10'6" and 11'6"

**Maple:** 9'6", 10'6" and 11'6"

Possible pieces will be put aside to be measured by an independant certified veneer scaler

\*\*\* Deduction of 15\$/m<sup>3</sup> for veneer transport

Scaling: Done by Groupe Savoie inc, by a certified scaler according to NB scaling guide

All pieces mesured one by one in solid m3 (1 cord = 2.26m<sup>3</sup>)

Prices in Mbf are approximate (factor 5.2)

Our buyer is always open to doing business with you ! Call (506-235-0506)



SUSTAINABLE FORESTRY INITIATIVE

*Bon pour vous. Bon pour nos forêts.*

*Good for you. Good for our forests.*

SFI-00058

Our purchases need to comply with best management practices.

We promote Sustainable Forestry Practices and Qualify Logging Professional (QLP training)






**Information**  
 Yves O'Brien  
 Cell: (506) 235-0506 Office: (506) 235-1066  
 yves.obrien@groupe Savoie.com

## Private wood

Saw logs						
Criteria	Specifications	Photos				
<b>Diameter</b>	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <th style="text-align: center;">Min</th> <th style="text-align: center;">Max</th> </tr> <tr> <td style="text-align: center;">8" <b>s.e</b> (20 cm)</td> <td style="text-align: center;">28" (70 cm)</td> </tr> </table> <p><b>s.e</b> = Small end (Logs between 8" and 9" must be straight)</p>	Min	Max	8" <b>s.e</b> (20 cm)	28" (70 cm)	
Min	Max					
8" <b>s.e</b> (20 cm)	28" (70 cm)					
<b>Length</b>	8' 9" (+/- 2") Yield 7'0 for > 11"  (Min 7'0")					
<b>Heart rot</b>	Heart rot less than 33% (1/3 of the diameter)  Pieces less than 10 inches: No rot  No rot allowed in Beech and Soft maple					
<b>Sweep</b>	> 10 inches: Maximum of 30% (1/3 of diameter at small end)  Pieces less than 9 inches: straight					
<b>Split</b>	Accepted on 1 faces max. Twisted split is not tolerated if the 2nd face is affected					

**Information**  
 Yves O'Brien  
 Cell: (506) 235-0506 Office: (506) 235-1066  
 yves.obrien@groupesavoie.com

## Private wood

Saw logs		
Criteria	Specifications	Photos
<b>Knots, defects and bumps</b>	Any 4-inch bumps or defect needs to be shaved. (Medium and high bumps in these hardwoods are degraders)	
<b>Butt flare (flange) and spider heart</b>	The butt flare must be removed. Spider heart isn't accepted (1 split is ok).	
<b>Plywood logs (Veneer)</b>	Maple: 9'5", 10'5", 11'5" Birch: 8'9", 9'5", 10'5", 11'5" Size: 11" small end. Hard heart, healthy, no major defect, no stained wood, straight	
<b>Sorting (Pile)</b>	White and Yellow Birch must be pile together (1 pile)  Sugar Maple, Soft Maple and Beech must be pile together (1 pile)	
Important		
<ul style="list-style-type: none"> <li>- Logs need to be transported between 6 a.m. and 5 p.m. Monday to Friday</li> <li>- 2 or 3 Weeks maximum to haul the logs in our mill during summer time (stain wood)</li> <li>- Best operation time after August 15th</li> <li>- Make sure to put skip under pile to minimise contamination</li> <li>- Minimise mechanical compression marks (roll, grapple, chain, etc.)</li> <li>- Veneers logs can be shipped on the same load</li> <li>- To maximise wood value, process the wood correctly with clear faces and no sweep</li> </ul>		



RECEIVED MAY 16 2024



SPEC-FOR-F-102 (Spécifications qualité - Achats privé)



Achats privé

Critères	Billot de tremble	Palette de bois franc et	Pâte de bois franc
Diamètre	Min: 9" po. (23 cm) i.é. Max: 28" po. (71 cm) i.é.	Min: 5" po. (13 cm) i.é. Max: 22" (56 cm) i.é.	Min: 3 1/4" (8 cm) i.é. Max: 22" (56 cm) i.é.
Longueur	8' 6" (Tolérance +/- 2") Démêlez le 8 pieds du 9 pieds.	8' 6" (Tolérance 100" à 104") Portez attention qu'il ne soit pas trop long Pièce de plus de 9" (108") doit être coupée.	8' 6" (Tolérance 100" à 104") Pas de pièce moins de 6 pieds (72po) Portez attention qu'il ne soit pas trop long Pièce de plus de 9" (108") doit être coupée.
Carie	Sain et sans pourriture (faible tolérance) Plaqué de couleur grise ou brune acceptée.	Sain et sans pourriture (faible tolérance) Pas de tondreux Aucun chicot, arbre sec ou mort	Moins de 50% du diamètre de carie ou de pourriture Aucun chicot, arbre sec ou mort ni arbre creux (calvette)
Courbure	Courbure maximum 1/3 du diamètre au fin bout.	Éliminez les déformations majeures Visez 2 pièces de 4 pieds (Pas de coude, gros "S" ou bosse)	Éliminez les déformations majeures
Nœuds & Branches	Enlevez les déformations majeures. Bien ébranché, nœuds à fleur de tronc Pas de coude, gros "S" ou bosse.	Bien ébranché, nœuds à fleur de tronc Pas de fourches	Bien ébranché, nœuds à fleur de tronc Pas de fourches
Démêlage & Empilement	***Aucun peuplier n'est accepté***  ***Attention aux roches, terre et vase***	<u>Bois franc: 2 piles</u> Bouleau-Merisier et Érable-Plaine-Hêtre  Tremble: 1 pile  ***Attention aux roches, terre et vase***	1 pile bouleau-merisier ensemble 1 pile d'érable-plaine-hêtre-frêne  Si plus de 30% plaine, doit être approuvé  ***Attention aux roches, terre et vase***

**Notes:** - Séparez la palette dans la plaine si elle est saine  
- La palette peut être transportée avec les billots mais séparée  
- Des ajustements peuvent être demandés par l'acheteur

Information
Yves O'Brien
Cell: (506) 236-0506 Office: (506) 236-1066
yves.obrien@groupe-savoie.com